

PUBLICATION LIST:

1. Rawal, U.M., Patel, U.S., **Rao, G.N.** and Desai, R.R. Clinical and biochemical studies on the cataractous human lenses. I. Quantitative study of protein, RNA and DNA. Arogya-J. Health Sci. III, 69-72, 1977.
2. Rawal, U.M. and **Rao, G.N.** Biochemical studies on the vertebrate lens. I. Quantitative study of L-ascorbic acid and glutathione. Vidya - B. Sciences. XX, 172-178, 1977.
3. Desai, R.R., Rawal, U.M. and **Rao, G.N.** Biochemical studies on the determination of sodium, potassium and water in different regions of senile cataractous lenses. XXIII Concilium Ophthalmologicum. Vol. II, Excerpta Medica, Amsterdam-Oxford, pp. 1343-1345, 1978.
4. Desai, R.J., Rawal, U.M. and **Rao, G.N.** Studies on reduced glutathione and total free thiol groups in different regions of senile cataractous lenses. XXIII Concilium Ophthalmologicum. Vol. II, Excerpta Medica, Amsterdam-Oxford, pp. 1354-1356, 1978.
5. Rawal, U.M. and **Rao, G.N.** Effect of galactose on the metabolism of the rat lens in vitro. Indian J. Exp. Biol. 16, 499-501, 1978.
6. Rawal, U.M. and **Rao, G.N.** Biochemical studies on the vertebrate lens. II. Protein, thiols and RNA. Comp. Physiol. Ecol. 3, 262-264, 1978.
7. Rawal, U.M. and **Rao, G.N.** The rate of anaerobic glycolysis in aging lens. Vidya-B. Sciences. XXI, 73-75, 1978.
8. Rawal, U.M. and **Rao, G.N.** Changes in the levels of glutathione, ascorbic acid, total sulphhydryl groups and RNA in the galactose exposed lens. Indian J. Exp. Biol. 17, 91-93, 1979.
9. Rawal, U.M. and **Rao, G.N.** Incorporation studies on the proteins of human normal and senile cataractous lenses. Curr. Sci. 48, 56-57, 1979.
10. Rawal, U.M. and **Rao, G.N.** Effect of galactose on the metabolism of the guinea pig lens in vitro. J. Anim. Morphol. Physiol. 26, 236-242, 1979.
11. Rawal U.M. and **Rao, G.N.** Lactate output and activities of glucose-6-phosphate and succinate dehydrogenases in normal and cataractous human lenses. Arogya-J. Health Sci. V, 134-138, 1979.
12. Rawal, U.M. and **Rao, G.N.** The reactivity of sulphhydryl groups in the normal lenses of albino rat (*Rattus norvegicus Berkenhaut*) and guinea pig (*Cavia porcellus Linneaus*). Indian J. Ophthalmol. 27, 31-33, 1979.
13. Rawal, U.M. and **Rao, G.N.** Changes in the levels of inorganic constituents in the

- galactose exposed lens. Indian J. Exp. Biol. 18, 260-262, 1980.
14. Rawal, U.M. and **Rao, G.N.** Biochemical studies on the vertebrate lens. III. Lactic acid, glucose and fructose. Comp. Physiol. Ecol. 5, 32-34, 1980.
 15. Rawal, U.M. and **Rao, G.N.** Enzymatic studies on the galactose exposed lens. Indian J. Ophthalmol. 28, 5-7, 1980.
 16. Rawal, U.M. and **Rao, G.N.** Biochemical studies on the vertebrate lens. V. Inorganic constituents and water. J. Anim. Morphol. Physiol. 27, 113-116, 1980.
 17. Rawal, U.M. and **Rao, G.N.** Incorporation studies on the proteins of vertebrate eye lenses. New Biologist XII, 39-42, 1980.
 18. Rawal, U.M. and **Rao, G.N.** Biochemical studies on the vertebrate lens. IV. Lactate output and activities of glucose-6-phosphate and succinate dehydrogenases in the vertebrate lens. Comp. Physiol. Ecol. 6, 165-168, 1981.
 19. Sadasivudu, B., **Rao, G.N.** and Swamy, M. Gamma-glutamyl transpeptidase and gamma-glutamyl cysteine synthetase activity in human lens. IRCS Med. Sci. 9, 55-56, 1981.
 20. **Rao, G.N.**, Swamy, M., Siva Reddy, P. and Sadasivudu, B. Studies on arginase and ornithine aminotransferase activities in human lens. IRCS Med. Sci. 9, 395-396, 1981.
 21. Sadasivudu, B., Swamy, M. and **Rao, G.N.** Studies on the enzymes of urea cycle intermediates in normal and infarcted myocardial tissue of rat. Biochem. Int. 5, 205-211, 1982.
 22. Indira, R.T., **Rao, G.N.**, Swamy, M. and Sadasivudu, B. Studies on metabolism of branched chain amino acids in brain and other tissues of rat with special reference to leucine. J. Neurosci. Res. 7, 387-395, 1982.
 23. **Rao, G.N.**, Damodhar Raj, N. and Sadasivudu, B. Activities of aspartate and alanine aminotransferases along with the content of glutamate family of amino acids in normal and cataractous human lenses. IRCS Med. Sci. 10, 598-599, 1982.
 24. Rawal, U.M. and **Rao, G.N.** Biochemical studies on the vertebrate lens. VI. Amino acids. Comp. Physiol. Ecol. 8, 109-112, 1983.
 25. Rawal, U.M. and **Rao, G.N.** Biochemical studies on the vertebrate lens. VII. Soluble protein fractions. Comp. Physiol. Ecol. 8, 118-120, 1983.
 26. **Rao, G.N.** and Sadasivudu, B. Arylamidase and dipeptidase activities in human normal and brunescent cataractous lenses. Ophthalmic Res. 15, 24-28, 1983.

27. **Rao, G.N.**, Sadasivudu, B. and Cotlier, E. Studies on glutathione S-transferase, glutathione peroxidase and glutathione reductase in human normal and cataractous lenses. Ophthalmic Res. 15, 173-179, 1983.
28. Sadasivudu, B., Murthy C.R.K., **Rao, G.N.** and Swamy, M. Studies on acetyl-cholinesterase and gamma-glutamyl transpeptidase in mouse brain in ammonia toxicity. J. Neurosci. Res. 9, 127-134, 1983.
29. **Rao, G.N.** and Cotlier, E. Ornithine delta-aminotransferase activity in retina and other tissues. Neurochem. Res. 9, 555-562, 1984.
30. **Rao, G.N.** and Cotlier, E. Urea cycle enzymes in retina, ciliary body-iris, lens and senile cataracts. Exp. Eye Res. 39, 483-495, 1984.
31. **Rao, G.N.** and Cotlier, E. The enzymatic activities of GTP cyclohydrolase, sepiapterin reductase, dihydropteridine reductase and dihydrofolate reductase and tetrahydrobiopterin content in mammalian ocular tissues and in human senile cataracts. Comp. Biochem. Physiol. 80B, 61-66, 1985.
32. **Rao, G.N.** and Cotlier, E. Biosynthesis of neopterin, sepiapterin and biopterin in rat and human ocular tissues. Invest. Ophthalmol. Vis. Sci. 26, 768-770, 1985.
33. **Rao, G.N.**, Lardis, M.P. and Cotlier, E. Acetylation of lens crystallins: A possible mechanism by which aspirin could prevent cataract formation. Biochem. Biophys. Res. Commun. 128, 1125-1132, 1985.
34. **Rao, G.N.** and Cotlier, E. The enzymatic activity of quinonoid dihydropterin reductase and tetrahydropterin content in human ocular tissues and senile cataracts. Exp. Eye Res. 40, 601-607, 1985.
35. **Rao, G.N.** and Cotlier, E. Free epsilon amino groups and 5-hydroxymethylfurfural contents in clear and cataractous human lenses. Invest. Ophthalmol. Vis. Sci. 27, 98-102, 1986.
36. **Rao, G.N.**, Buford, E.S. and Davidson, J.N. Transcriptional regulation of the human CAD gene during myeloid differentiation. Mol. Cell. Biol. 7, 1961-1966, 1987.
37. **Rao, G.N.** and Cotlier, E. Aspirin prevents the nonenzymatic glycosylation and carbamylation of the human eye lens crystallins in vitro. Biochem. Biophys. Res. Commun. 151, 991-996, 1988.
38. **Rao, G.N.**, Church, R.L. and Davidson, J.N. Posttranscriptional regulation of the expression of CAD gene during differentiation of F9 teratocarcinoma cells by induction with retinoic acid and dibutyryl cyclic AMP. FEBS Lett. 232, 238-242, 1988.
39. **Rao, G.N.** and Davidson, J.N. CAD gene expression in serum starved and serum

- stimulated hamster cells. DNA 7, 423-432, 1988.
40. **Rao, G.N.** and Church, R.L. Regulation of CAD gene expression in mouse fibroblasts during the transition from the resting to the growing state. Exp. Cell Res. 178, 449-456, 1988.
 41. **Rao, G.N.**, Broeckx, J.L. and Church, R.L. Expression of c-myc protooncogene in primary cultures of human corneal stromal cells. Curr. Eye Res. 8, 405-413, 1989.
 42. **Rao, G.N.** and Church, R.L. Regulation of expression of c-myc protooncogene in a clonal line of mouse lens epithelial cells by serum growth factors. Exp. Cell Res. 183, 140-148, 1989.
 43. **Rao, G.N.**, Gutekunst, K.A. and Church, R.L. Bovine lens 23, 21 and 19 kDa intrinsic membrane proteins have an identical amino-terminal amino acid sequence. FEBS Lett. 250, 483-486, 1989.
 44. **Rao, G.N.**, Gutekunst, K.A. and Church R.L. Bovine lens membrane proteins: MP70, MP64 and MP38 are products of the same gene. Ophthalmic Res. 22, 166-172, 1990.
 45. Davidson, J.N., **Rao, G.N.**, Niswander, L., Andreano, C., Tamer, C. and Chen, K.C. Organization and nucleotide sequence of the 3' end of the human CAD gene. DNA Cell Biol. 9, 667-676, 1990.
 46. **Rao, G.N.**, Sardet, C., Pouysségur, J. and Berk, B.C. Differential regulation of Na⁺/H⁺ antiporter gene expression in vascular smooth muscle cells by hypertrophic and hyperplastic stimuli. J. Biol. Chem. 265, 19393-19396, 1990.
 47. Gutekunst, K.A., **Rao, G.N.** and Church, R.L. Molecular cloning and complete nucleotide sequence of the cDNA encoding a bovine lens intrinsic membrane protein (MP19). Curr. Eye Res. 9, 955-961, 1990.
 48. **Rao, G.N.**, Corson, M.A. and Berk, B.C. Uric acid stimulates vascular smooth muscle cell proliferation by increasing PDGF-A chain expression. J. Biol. Chem. 266, 8604-8608, 1991.
 49. **Rao, G.N.**, De Roux N., Sardet C., Pouysségur, J., and Berk, B.C. Na⁺/H⁺ antiporter gene expression during monocytic differentiation of HL60 cells. J. Biol. Chem. 266, 13485-13488, 1991.
 50. **Rao, G.N.** and Berk, B.C. Active oxygen species stimulate vascular smooth muscle cell growth and proto-oncogene expression. Circ. Res. 70, 593-599, 1992.
 51. **Rao, G.N.**, Sardet C., Pouysségur, J. and Berk, B.C. Na⁺/H⁺ antiporter gene expression increases during retinoic acid-induced granulocytic differentiation of

- HL60 cells. J. Cell. Physiol. 151, 361-366, 1992.
52. Berk, B.C. and **Rao, G.N.** Angiotensin II-induced vascular smooth muscle cell hypertrophy: PDGF A-chain mediates the increase in cell size. J. Cell. Physiol. 154, 368-380, 1993
53. **Rao, G.N.**, Sardet, C., Pouysségur J., and Berk, B.C. Phosphorylation of the Na⁺/H⁺ antiporter is not stimulated by phorbol ester and acidification in granulocytic HL60 cells. Am. J. Physiol. 264, C1278-C1284, 1993.
54. **Rao, G.N.**, Lassègue, B., Griendling, K.K., Alexander R.W. and Berk, B.C. Hydrogen preoxide-induced c-fos expression is mediated by arachidonic acid release: Role of protein kinase C. Nucleic Acids Res. 21, 1259-1263, 1993.
55. **Rao, G.N.**, Lassègue, B., Griendling, K.K., and Alexander, R.W. Hydrogen peroxide stimulates transcription of c-jun in vascular smooth muscle cells: Role of arachidonic acid. Oncogene 8, 2759-2764, 1993.
56. **Rao, G.N.**, Griendling, K.K., Frederickson, R.M., Sonenberg, N. and Alexander, R.W. Angiotensin II induces phosphorylation of a 28 kDa mRNA cap-binding protein, eIF-4E, in vascular smooth muscle cells. J. Biol. Chem. 269, 7180-7184, 1994.
57. **Rao, G.N.**, Lassègue, B., Alexander, R.W., and Griendling, K.K. Angiotensin II stimulates phosphorylation of high molecular mass cytosolic phospholipase A₂ in vascular smooth muscle cells. Biochem. J. 299, 197-201, 1994.
58. **Rao, G.N.**, Baas, A.S., Glasgow, W.C., Eling, T.E., Runge, M.S., and Alexander, R. W. Activation of mitogen-activated protein kinases by arachidonic acid and its metabolites in vascular smooth muscle cells. J. Biol. Chem. 269, 32586-32591, 1994.
59. **Rao, G.N.**, Runge, M.S., and Alexander, R.W. Hydrogen peroxide activation of cytosolic phospholipase A₂ in vascular smooth muscle cells. Biochim. Biophys. Acta. 1265, 67-72, 1995.
60. Chaikof, E.L., Caban, R., Yan, C.N., **Rao, G.N.**, and Runge, M.S. Growth-related responses in arterial smooth muscle cells are arrested by thrombin receptor antisense sequences. J. Biol. Chem. 270, 7431-7436, 1995.
61. **Rao, G.N.**, Alexander, R.W., and Runge, M.S. Linoleic acid and its metabolites, hydroperoxyoctadecadienoic acids, stimulate c-fos, c-jun and c-myc mRNA expression, mitogen-activated protein kinase activation and growth in rat aortic smooth muscle cells. J. Clin. Invest. 96, 842-847, 1995.
62. **Rao, G.N.**, Delafontaine, P., and Runge, M.S. Thrombin stimulates phosphorylation of insulin-like growth factor-1 receptor, insulin receptor

- substrate-1, and phospholipase C-g1 in rat aortic smooth muscle cells. J. Biol. Chem. 270, 27871-27875, 1995.
63. **Rao, G.N.** Hydrogen peroxide induces complex formation of SHC-Grb2-SOS with receptor tyrosine kinase and activates Ras and extracellular signal-regulated protein kinases group of mitogen-activated protein kinases. Oncogene 13, 713-719, 1996.
64. **Rao, G.N.** and Runge, M.S. Cyclic AMP inhibition of thrombin-induced growth in vascular smooth muscle cells correlates with decreased JNK1 activity and c-jun expression. J. Biol. Chem. 271, 20805-20810, 1996.
65. Li, F., Baykal, D., Horaist, C., Carr, B.N., Yan, C.N., Wu, Y., **Rao, G.N.** and Runge, M.S. Cloning and identification of regulatory sequences of the human thrombin receptor gene. J. Biol. Chem. 271, 26320-26328, 1996.
66. **Rao, G.N.**, Glasgow, W.C., Eling, T.E. and Runge, M.S. Role of hydroperoxyeicosatetraenoic acids in oxidative stress-induced AP-1 activity. J. Biol. Chem. 271, 27760-27764, 1996.
67. **Rao, G.N.** Protein tyrosine kinase activity is required for oxidant-induced extracellular signal-regulated protein kinase activation and c-fos and c-jun expression. Cell. Signal. 9, 181-187, 1997.
68. Ruef, J., Hu, Z.Y., Yin, L.Y., Wu, Y., Hanson, S.R., Kelly, A.B., Harker, L.A., **Rao, G.N.**, Runge, M.S. and Patterson, C. Induction of vascular endothelial growth factor in balloon-injured Baboon arteries: A novel role for reactive oxygen species in atherosclerosis. Circ. Res. 81, 24-33, 1997.
69. Madamanchi, N.R., Bukoski, R.D., Runge, M.S. and **Rao, G.N.** Arachidonic acid activates jun N-terminal kinase in vascular smooth muscle cells. Oncogene 16, 417-422, 1998.
70. Ruef, J., **Rao, G.N.**, Li, F., Bode, C., Patterson, C., Bhatnagar, A. and Runge, M.S. Induction of rat aortic smooth muscle cell growth by the lipid peroxidation product 4-hydroxy-2-nonenal. Circulation 97, 1071-1078, 1998.
71. Wu, Y., Ruef, J., **Rao, G.N.**, Patterson, C. and Runge, M.S. Differential transcriptional regulation of the human thrombin receptor gene by the Sp family of transcriptional factors in human endothelial cells. Biochem. J. 330, 1469-1474, 1998.
72. Hu, Z.Y., Madamanchi, N.R. and **Rao, G.N.** cAMP inhibits linoleic acid-induced growth by antagonizing p27^{kip1} depletion but not interfering with the extracellular signal-regulated kinase or AP-1 activities. Biochim. Biophys. Acta 1405, 139-146, 1998.
73. **Rao, G.N.** Differential regulation of p27^{kip1} levels and CDK activities by

- hypertrophic and hyperplastic agents in vascular smooth muscle cells. Biochim. Biophys. Acta 1448, 525-532, 1999.
74. **Rao, G.N.**, Katki, K.A., Madamanchi, N.R., Wu, Y. and Birrer, M.J. JunB forms the majority of the AP-1 complex and is a target for redox regulation by receptor tyrosine kinase and G protein-coupled receptor agonists in smooth muscle cells. J. Biol. Chem. 274, 6003-6010, 1999.
75. **Rao, G.N.**, Madamanchi, N.R., Lele, M., Gadiparthi, L., Gingras, A.C., Eling, T.E. and Sonnenberg, N. A potential role for extracellular signal-regulated kinases in PGF_{2α}-induced protein synthesis in smooth muscle cells. J. Biol. Chem. 274, 12925-12932, 1999.
76. Wu, H., **Rao, G.N.**, Dai, B. and Singh, P. Autocrine gastrins in colon cancer cells up-regulate cytochrome c oxidase Vb and down-regulate efflux of cytochrome c and activation of caspase 3. J. Biol. Chem. 275, 32491-32498, 2000.
77. **Rao, G.N.** Oxidant stress stimulates phosphorylation of eIF4E without an effect on global protein synthesis in smooth muscle cells: Lack of evidence for a role of H₂O₂ in angiotensin II-induced hypertrophy. J. Biol. Chem. 275, 16993-16999, 2000.
78. Ghosh, S.K., Gadiparthi, L., Zeng, Z.Z., Bhanoori, M., Tellez, C., Bar-Eli, M. and **Rao, G.N.** ATF-1 mediates protease activated receptor-1 (PAR-1) but not receptor tyrosine kinase-induced DNA synthesis in vascular smooth muscle cells. J. Biol. Chem. 277, 21325-21331, 2002.
79. Yellaturu, C.R., Bhanoori, M. Neeli, I. and **Rao, G.N.** N-Ethylmaleimide inhibits platelet-derived growth factor BB-stimulated Akt phosphorylation via activation of protein phosphatase 2A. J. Biol. Chem. 277, 40148-40155, 2002.
80. Zeng, Z.Z., Yellaturu, C.R., Neeli, I. and **Rao, G.N.** 5(S)-Hydroxyeicosatetraenoic acid stimulates DNA synthesis in human microvascular endothelial cells via activation of Jak/STAT and PI3-kinase/Akt signaling leading to induction of expression of basic fibroblast growth factor-2. J. Biol. Chem. 277, 41213-41219, 2002.
81. Yellaturu, C.R., Ghosh, S.K., Rao, R.K., Jennings, L.K., Hassid, A. and **Rao, G.N.** A potential role for nuclear factor of activated T cells in receptor tyrosine kinase and G protein-coupled receptor agonist-induced cell proliferation. Biochem J. 368, 183-190, 2002.
82. Bhanoori, M., Yellaturu, C.R., Ghosh, S.K., Hassid, A., Jennings, L.K. and **Rao, G.N.** Thiol alkylation inhibits the mitogenic effects of platelet-derived growth factor and renders it proapoptotic via activation of STATs and p53 and induction of expression of caspase1 and p21^{waf1/cip1}. Oncogene 22, 117-130, 2003.
83. Yellaturu, C.R. and **Rao, G.N.** Cytosolic phospholipase A₂ is an effector of Janus-

- activated kinase/Signal Transducers and Activators of Transcription signaling and is involved in platelet-derived growth factor BB-induced growth in vascular smooth muscle cells. J. Biol. Chem. 278, 9986-9992, 2003.
84. Yellaturu, C.R. and **Rao, G.N.** A requirement for calcium-independent phospholipase A₂ in thrombin-induced arachidonic acid release and growth in vascular smooth muscle cells. J. Biol. Chem. 278, 43831-43837, 2003.
85. Neeli, I., Yellaturu, C. R. and **Rao, G. N.** Arachidonic acid activates translation initiation signaling in vascular smooth muscle cells. Biochem. Biophys. Res. Commun. 309, 755-761, 2003.
86. Zhuang D., Ceacareanu, A., Lin Y., Ceacareanu B., Dixit, M., Chapman, K., Waters, C., **Rao, G. N.** and Hassid, A. Nitric oxide decreases insulin or IGF1-stimulated aortic smooth muscle cell motility by attenuating the production of reactive oxygen species: Pivotal role of cyclic GMP and protein kinase G. Am. J. Physiol. 286, H2103-2112, 2004.
87. Liu, Z., Dronadula, N. and **Rao, G. N.** A novel role for nuclear factor of activated T cells in receptor tyrosine kinase and G protein-coupled receptor agonist-induced vascular smooth muscle cell motility. J. Biol. Chem. 279, 41218-41226, 2004.
88. Neeli, I., Liu, Z., Dronadula, N., Ma, Z. A. and **Rao, G. N.** An essential role of Jak-2/STAT-3/cPLA₂ axis in platelet-derived growth factor BB-induced vascular smooth muscle cell motility. J. Biol. Chem. 279, 46122-46128, 2004.
89. Dronadula, N., Liu, Z., Wang, C., Cao, H. and **Rao, G. N.** STAT-3-dependent expression of cPLA₂ is required for thrombin-induced vascular smooth muscle cell motility. J. Biol. Chem. 280, 3112-3120, 2005.
90. Liu, Z., Zhang, C., Dronadula, N., Li, Q. and **Rao, G. N.** Blockade of nuclear factor of activated T cells activation signaling suppresses balloon injury-induced neointima formation in a rat carotid artery model. J. Biol. Chem. 280, 14700-14708, 2005.
91. Zhang, B. and **Rao, G. N.** 15(S)-Hydroxyeicosatetraenoic acid induces angiogenesis via activation of PI3K-Akt-mTOR-S6K1 signaling. Cancer Res. 65, 7283-7291, 2005.
92. Cao, H., Dronadula, N. and **Rao, G. N.** Thrombin induces the expression of FGF-2 via activation of PI3K-Akt-Fra-1 signaling axis leading to DNA synthesis and motility in vascular smooth muscle cells. Am. J. Physiol. 290, C172-C182, 2006.
93. Zhang, B., Cao, H. and **Rao, G. N.** Fibroblast growth factor-2 is a downstream mediator of PI3K-Akt signaling in 14, 15-epoxyeicosatrienoic acid-induced angiogenesis. J. Biol. Chem. 281, 905-914, 2006.

94. Dronadula, N., Blaskova, E., Li, Q., Rizvi, F. and **Rao, G. N.** Involvement of cAMP response element-binding protein-1 in arachidonic acid-induced vascular smooth muscle cell motility. *J. Lipid Res.* 47, 774-784, 2006.
95. Cao, H., Dronadula, N., Rizvi, F., Li, Q. Srivastava, K. Gerthoffer, W. T. and **Rao, G. N.** Novel role for STAT-5B in the regulation of Hsp27-FGF-2 axis facilitating thrombin-induced vascular smooth muscle cell growth and motility. *Circ. Res.* 98, 913-922, 2006.
96. Kundamani-Sridharan, V., Wang, D., Liu, Z., Zhang, C., Dronadula, N. and **Rao, G. N.** Activation of signal transducer and activator of transcription-5B in the vessel wall by balloon injury leads to cyclin D1 upregulation and neointima formation. *Am J. Pathol* 171, 1381-1394, 2007.
97. Wang, D., Liu, Z., Li, Q., Karpurapu, M., Kundumani-Sridharan, V., Cao, H., Dronadula, N., Rizvi, F., Bajpai, A.K., Zhang, C., Muller-Newen, G., Harris, K.W. and **Rao, G.N.** An essential role for gp130 in neointima formation following balloon injury. *Circ Res.* 100, 807-816, 2007.
98. Srivastava, K., Kundumani-Sridharan, V., Zhang, B., Bajpai, A.K. and **Rao, G.N.** 15(S)-Hydroxyeicosatetraenoic acid-induced angiogenesis requires signal transducer and activator of transcription-3-dependent expression of vascular endothelial growth factor. *Cancer Res.* 67, 4328-4336, 2007.
99. Bajpai, A.K., Blaskova, B., Pakala, S.B., Zhao, T., Glasgow, W.C., Penn, J.S., Johnson, D.A. and **Rao, G.N.** 15(S)-HETE production in human retinal microvascular endothelial cells by hypoxia: Novel role for Mek1 in 15(S)-HETE-induced angiogenesis. *Invest Ophthalmol & Vis Sci.* 48, 4930-4938, 2007.
100. Cheranov, S.Y., Karpurapu, M., Wang, D., Zhang, B., Venema R.C. and **Rao, G.N.** An essential role for Src-activated STAT-3 in 14,15-EET-induced VEGF expression and angiogenesis. *Blood* 111, 5581-5591, 2008.
101. Karpurapu, M., Wang, D. Singh, N.K., Li, Q. and **Rao, G.N.** NFATc1 targets cyclin A in the regulation of vascular smooth muscle cell multiplication during restenosis. *J. Biol. Chem.* 283, 26577-26590, 2008.
102. Zhao, T., Wang, D., Cheranov, S.Y., Karpurapu, M., Chava, K.R., Kundumani-Sridharan, V., Johnson, D.A., Penn, J.S., and **Rao, G.N.** A novel role for activating transcription factor-2 in 15(S)-hydroxyeicosatetraenoic acid-induced angiogenesis. *J. Lipid Res.* 50, 521-533, 2009.
103. Chava, K. R., Karpurapu, K., Wang, D., Bhanoori, M., Kundumani-Sridharan, V., Zhang, Q., Ichiki, T., Glasgow, W. C., and **Rao, G. N.** CREB-mediated IL-6 expression is required for 15(S)-hydroxyeicosatetraenoic acid-induced vascular smooth muscle cell migration. *ATVB.* 29, 809-815, 2009.

104. Cheranov, S. Y., Wang, D., Kundumani-Sridharan, V., Karpurapu, M., Zhang, Q., Chava, K. R., and **Rao, G. N.** 15(S)-hydroxyeicosatetraenoic acid-induced angiogenesis requires Janus kinase 2-signal transducer and activator of transcription-5B-dependent expression of interleukin-8. *Blood*. 113, 6023-6033, 2009.
105. Wang, D., Paria, B. C., Zhang, Q., Karpurapu, M., Li, Q., Gerthoffer, W. T., Nakaoka, Y., and **Rao, G. N.** A role for gab1/shp2 in thrombin activation of pak1: gene transfer of kinase-dead pak1 inhibits injury-induced restenosis. *Circ. Res.* 104, 1066-1075, 2009.
106. Potula, H. S. K., Wang, D., Karpurapu, M., Kundumani-Sridharan, V., Quyen, D. V., Singh, N. K., Park, E. A., Glasgow, W. C., and **Rao, G. N.** Src-dependent STAT-3-mediated expression of monocyte chemoattractant protein-1 is required for 15(S)-hydroxyeicosatetraenoic acid-induced vascular smooth muscle cell migration. *J. Biol. Chem.* 284, 31142-31155, 2009.
107. Karpurapu, M., Wang, D., Quyen, D. V., Kim T. K., Kundumani-Sridharan, V., Pulusani, S. and **Rao, G. N.** Cyclin D1 is a bona fide target gene of NFATc1 and is sufficient in the mediation of injury-induced vascular wall remodeling. *J. Biol. Chem.* 285, 3510-3523. 2010.
108. Kundumani-Sridharan, V., Niu, J., Wang, D., Quyen, D. V., Zhang, Q., Singh, N. K., Subramani, J., Karri, S. and **Rao, G. N.** 15(S)-hydroxyeicosatetraenoic acid-induced angiogenesis requires Src-mediated Egr-1-dependent rapid induction of FGF-2 expression. *Blood*. 115, 2105-2116, 2010.
109. Singh, N. K., Quyen, D. V., Kundumani-Sridharan, V., Brooks, P. C. and **Rao G. N.** AP-1 (Fra-1/c-Jun)-mediated induction of expression of matrix metalloproteinase-2 is required for 15(S)-hydroxyeicosatetraenoic acid-induced angiogenesis. *J. Biol. Chem.* 285, 16830-16843, 2010.
110. Zhang, Q., Wang, D., Kundumani-Sridharan, V., Gadiparthi, L., Johnson, D. A., Tigyi, G. J. and **Rao, G. N.** PLD1-dependent PKC γ activation downstream to Src is essential for the development of pathological retinal neovascularization. *Blood*. 116, 1377-1385, 2010.
111. Singh, N. K., Wang, D., Quyen, D. V., Niu, J., Kundumani-Sridharan, V. and Rao, G. N. 15-Lipoxygenase 1-enhanced Src-Janus kinase 2-signal transducer and activator of transcription 3 stimulation and monocyte chemoattractant protein-1 expression require redox-sensitive activation of epidermal growth factor receptor in vascular wall remodeling. *J. Biol. Chem.* 286, 22478-22488, 2011.
112. Zhang, Q., Wang, D., Kundumani-Sridharan, V., Gadiparthi, L., Singh, N. K. and Rao, G. N. Activation of cytosolic phospholipase A₂ downstream to Src-PLD1-PKC γ signaling axis is required for hypoxia-induced pathological retinal angiogenesis. *J. Biol. Chem.* 286, 22489-22498, 2011.

113. Singh, N. K., Kundumani-Sridharan, V. and Rao, G. N. 12/15-Lipoxygenase gene knockout severely impairs ischemia-induced angiogenesis due to lack of Rac1 farnesylation. Blood (Accepted).